

Certificate of Registration

Certificate Number 003

Placed on the Market under the Name of

Warm Springs Composite Products
PO Box 906
Warm Springs
Oregon 97761
UNITED STATES

and produced in the manufacturing plant
Details held on file by BM TRADA

This certificate attests that all provisions have been met concerning the BM TRADA requirements of the scheme:

Q-Mark Door Blank Manufacture

Scope of Certification

Potential Performance Characteristics

The actual performance characteristics may vary from that stated in the table below, depending upon the doorset style, design, size, framing and components used in the fully finished doorset.
Any values given below are an indication of what is possible based on initial testing.

NPD = No performance determined.

Fire resistance doorset test to BS476-22 or EN1634-1.

Acoustic performance doorset test to BS EN ISO 10140-2 or BS EN ISO 140-3.

Enhanced Security doorset test to PAS24 Annex B.

Thermal Cycling (Composite blanks) doorset test to BS8529 Annex B.

Enhanced Lifetime Performance doorset test and graded to BM Trada CDTM01.

Thermal performance doorset test to BSEN10077-1, BSEN10077-2 or BS EN 12567-1.

WSCP Tectonite and WSCP Mineral Core Components

WSCP Tectonite and WSCP Mineral Cores supplied in kit form for further processing by doorset manufacturers

Product Name	Intended Fire Resistance (Minutes)	Acoustic (dB)	Enhanced Security (PAS24)	Thermal Cycling	Enhanced Lifetime Performance	Thermal Performance (U_p value $W/(m^2 K)$)
WSCP Tectonite and WSCP Mineral core based doorsets	60	NPD	NPD	NPD	NPD	NPD
	90	NPD	NPD	NPD	NPD	NPD
	120	NPD	NPD	NPD	NPD	NPD



Natasha Bambridge
(Divisional Director)

For and on behalf of Element

Date of Initial Certification: **24/04/2014**

Date of Last Issue: **24/09/2026**

Date of Expiry: **21/09/2029**